

Supplementary Table 1. Changes in King's Health Questionnaire domain scores at the end of treatment (full analysis set)

Variable	Vibegron 50 mg (N = 97)	Placebo (N = 100)	P-value
Total QoL			
Baseline, mean ± SD	54.87 ± 13.31	55.01 ± 13.30	
LS, mean ± SE	-12.18 ± 2.33	-7.56 ± 2.41	0.0333
Difference between LS mean	-4.62		
95% CI	-8.86, -0.37		
Domain 1: general health perception			
Baseline, mean ± SD	43.04 ± 17.95	43.00 ± 21.34	
LS, mean ± SE	-7.67 ± 3.51	-6.77 ± 3.64	0.7814
Difference between LS mean	-0.90		
95% CI	-7.32 to 5.51		
Domain 2: incontinence impact			
Baseline, mean ± SD	76.98 ± 25.17	76.67 ± 27.42	
LS, mean ± SE	-21.25 ± 5.09	-10.16 ± 5.28	0.0197
Difference between LS mean	-11.09		
95% CI	-20.39 to -1.79		
Domain 3: Role limitations			
Baseline, mean ± SD	66.15 ± 26.40	65.33 ± 26.87	
LS, mean ± SE	-20.59 ± 5.38	-10.16 ± 5.58	0.0374
Difference between LS mean	-10.43		
95% CI	-20.25 to -0.62		
Domain 4: physical limitations			
Baseline, mean ± SD	69.07 ± 27.74	67.67 ± 26.89	
LS, mean ± SE	-18.93 ± 4.86	-13.97 ± 5.04	0.2706
Difference between LS mean	-4.97		
95% CI	-13.84 to 3.90		
Domain 5: social limitations			
Baseline, mean ± SD	55.27 ± 26.47	53.83 ± 28.20	
LS, mean ± SE	-23.25 ± 5.09	-14.84 ± 5.27	0.0755
Difference between LS mean	-8.41		
95% CI	-17.70 to 0.87		
Domain 6: personal relationships			
Baseline mean ± SD	38.25 ± 29.68	39.74 ± 32.03	
LS mean ± SE	-15.90 ± 7.49	-16.81 ± 7.29	0.8958
Difference between LS mean	0.91		
95% CI	-12.82 to 14.64		
Domain 7: emotions			
Baseline, mean ± SD	56.70 ± 29.98	56.22 ± 30.04	
LS, mean ± SE	-19.61 ± 5.07	-8.05 ± 5.26	0.0148
Difference between LS mean	-11.56		
95% CI	-20.83 to -2.29		

(Continued)

Supplementary Table 1. Changes in King's Health Questionnaire domain scores at the end of treatment (full analysis set) (Continued)

Variable	Vibegron 50 mg (N = 97)	Placebo (N = 100)	P-value
Domain 8: sleep/energy			
Baseline, mean \pm SD	53.78 \pm 27.59	58.33 \pm 27.06	
LS, mean \pm SE	-17.80 \pm 4.43	-16.92 \pm 4.59	0.8311
Difference between LS mean	-0.88		
95% CI	-8.96 to 7.21		
Domain 9: severity measures			
Baseline, mean \pm SD	47.70 \pm 24.65	49.93 \pm 26.47	
LS, mean \pm SE	-14.91 \pm 3.93	-8.33 \pm 4.07	0.0716
Difference between LS mean	-6.59		
95% CI	-13.75 to 0.58		

QoL, quality of life; SD, standard deviation; LS mean, least-square mean; SE, standard error; CI, confidence interval.